




ZAHRA TENTS

INDUSTRIES (PVT) LTD.



RELIEF TENTS

“SHELTER THE WORLD”

Providing Tents And Relief Items Around The Globe

Our Story

Zahra Tents Industries (Pvt) Ltd is one of the most well reputed manufacturer and exporters of Tents, Tarpaulins, Shelters, Blankets, Mosquito Nets, Quilts, Sleeping bags, Canvas bags, Cotton Fabric, Rope, Canvas & Allied Canvas Products, We are also supplier of hygiene kits, School Kits, Jerry cans, Buckets, Soap, Towel, Kitchen Sets, Lantern, cooking stoves from Lahore, Pakistan since 1973. We are ISO 9001 and 14001 certified company.



From last 50 years **Zahra Tents Industries** have been designing manufacturing and supplying Tents and Relief items around the globe. **Zahra Tents Industries** is serving a quality conscious world market. Today the company has customers in every continent. This tremendous growth has been strengthened at every stage by our vision.





Production and Quality Assurance

We ensure that our products meet the field and customer requirements by performing strict quality control measures and policies. We also conduct regular in-house and external lab testing to further ensure the quality standards.

We rely on in-house shelter design and manufacturing capacities to ensure and guarantee an optimal performance of our products at all stages, from design to manufacturing and delivery.

We are constantly improving and innovating our products to ensure functionality, performance, durability and sustainability.





Table of Contents

Message From The Founder	2	IOM Jerry Cans	47
Introduction	3	Contact Us	48
Cerification	4		
Client List	5		
Tents			
UNHCR Family Tent (12 M2).....	8-9		
Explorer Tent.....	10-11		
Family Tent.....	12-13		
Double Fly Ridge Tent.....	14-15		
Double Fly Ridge Tent (Winterized).....	16-17		
Family Frame Tent.....	18-19		
Self-Standing Family Tent.....	20-21		
Geodesic Family Tent.....	22-23		
UNHCR Family Tent (23 M2).....	24-25		
Family Frame Tent.....	26-27		
UNICEF School Tent.....	28-29		
Multipurpose Tent.....	30-31		
High Performance Tent.....	32-33		
IOM Storage Tent.....	34-35		
Refugee Items			
Canvas and Fabric.....	36		
Mosquito Nets (Polyester).....	37		
Blankets.....	38		
Sleeping Mats.....	39		
Winter Liner.....	40		
UNHCR Kitchen Set (Type A).....	41		
UNHCR Kitchen Set (Type B).....	42		
PE Tarps.....	43		
Cotton Canvas Tarps.....	44		
Jerry Cans.....	46		

Message From Founder

We believe in the very basic rule that "the better the quality within an economy the higher would be the demand for our products and services both nationally and internationally". I think that only those entrepreneurs who will compete on the basis of consumer preferences, quality and design rather than price only will endure and survive. Our skilled, energetic and experienced team is working more hard, honestly and continuously to maintain our leadership status in the tent and canvas industry by always satisfying our precious customers. I am thankful to all my companies, children, team members, buyers and above all to my Almighty ALLAH for his blessings, support and courage.

Mr. Ejaz Ahmed Malik

Chief Executive

Zahra Tents Industries (Pvt) Ltd.



Brief History

Zahra Tents Industries has become a leader in this field not in one day, but by the constant day and night hard workmanship of our chief executive Mr. Ejaz Ahmed Malik from last 50 years. Zahra Tents Industry was established in 1973 by promising not to compromise on his quality and on time delivery by Mr. Ejaz Ahmed Malik. Zahra Tents Industries with their honest and hard working team have been doing their best to satisfy his esteemed customers by all means. Mr. Ejaz Ahmed Malik, started tent making with one machine in 1970 with his team and now by the grace of Almighty Allah he owns 3500 machines running by skilled labour in his factories. From 1973, every year Zahra Tents Industries increased its number of clients and increased number of orders from all parts of the world. In every part of world you must find esteemed customer of Zahra Tents Industries. This was only done by providing best quality product with best price and also in time delivery.

"Once any customer engaged with us, he will never go anywhere else".



Introduction

Zahra Tents Industries (Pvt) Ltd is one of the most well reputed manufacturer and exporters of Tents, Tarpaulins, Shelters, Blankets, Mosquito Nets, Quilts, Sleeping bags, Canvas bags, Cotton Fabric, Rope, Canvas & Allied Canvas Products , We are also supplier of hygiene kits, School Kits, Jerry cans, Buckets, Soap, Towel, Kitchen Sets, Lantern, cooking stoves from Lahore, Pakistan since 1973.

We are ISO 9001:2000 and 9001:2008 certified company.

- 1- Twisting unit
- 2- Doubling unit
- 3- Three Weaving units
- 4- Dyeing and waterproofing unit
- 5- Two huge stitching units
- 6- Two Metal workshops for Tent Frames and Iron Accessories

Zahra Tents is serving a quality conscious world market. Today the company has customers in every continent. This tremendous growth has been strengthened at every stage by our vision.

We Believe That "Quality Compromise is not an option".

We are registered vendor of the following organizations who regularly procure from us a huge quantity of our products:-

1- UNHCR	8. UNOPS
2- UNICEF	9. ERC
3- UNDP	10. IOM
4- WFP	11. UNOG
5- UNGM	12. SAVE THE CHILDREN
6- UNPD	13. IRC
7. UN-HABITAT	14. ITC

The permanent buyer of Zahra Tents Industries (Pvt) Ltd, were located in Saudi Arabia, Bahrain, Kuwait, Syria, Iraq, U.A.E, Egypt, Sudan, Nigeria, Ethiopia, Somalia, Libya, Uganda, Congo , France, Qatar , China and Myanmar, to whom we have been doing business from last 35 years.



Certification






Client List



Canadian Red Cross
Croix-Rouge canadienne



مركز الملك سلمان
للإغاثة والأعمال الإنسانية
KING SALMAN
HUMANITARIAN AID & RELIEF CENTRE





TENTS

We have developed a wide range of Family and Multipurpose Tents to provide Shelter in an Emergency Situation, all the tents are developed according to international standards and criteria.



UNHCR FAMILY TENT (12M2)



Specifications



Make	Double Tent Single Fold
Material	Outer Tent: 350 GSM PolyCotton Canvas, Water Repellant, Fire Retardant and Rot Proof Outer Tent Wall: 200 GSM PolyCotton Canvas, Water Repellant, Fire Retardant and Rot Proof Inner Tent: 130 GSM PolyCotton Canvas Fabric, Fire Retardant.
Inner Partition	130 GSM PolyCotton Fabric, Fire Retardant (Optional)
Frame	Painted Steel Poles 2 Standing of 25 mm dia, 1 Standing + 1 Ridge Poles of 31 mm dia, 6 Wall & 4 Canopy Poles of 19 mm dia.
Ground Sheet	180 GSM HDPE Fabric Sewed in Bathtub as Ground Sheet

Length x Width Outer Tent	4.00 x 3.00 M	Length x Width Inner Tent	3.0 x 3.0 M
Center Height Outer Tent	2.20 M	Center Height Inner Tent	2.10 M
Wall Height Outer Tent	1.25 M	Wall Height Inner Tent	1.15 M
Length x Width of Door Outer Tent	1.2 x 1.4 M	Length x Width of Door Inner Tent	1.00 x 1.4 M



UNHCR FAMILY TENT (12M2)



Specifications

Chimney	One Chimney Opening, Size 25 cm x 80 cm, On the Vestibule
MudFlap	Made of HDPE Fabric, 180 GSM-50 cm as Wall & 20 cm as Mud Flap
Windows	2 Full Length Windows
Doors	2 Doors
Ventilation	2, One on Each Vestibule
Self Life	Min. 5 Years
Life Span	Min. 1 Year Easily
Packing Unit	160 x 30 x 30 cm, 45 KG
Content	Tent Body, Frame Poles, Pegs, Instruction Manual and Hammer
20' Container	160 Units
40' Container	360 Units



Explorer Tent



Specifications



Length x Width	3.8 x 3.8 Meter
Center Height	2.6 Meter
Wall Height	1.65 Meter
Material	Outer Fly: 190 GSM HDPE/LDPE Laminated Woven PE Fabric Waterproof, fire retardant (+/-10%) Tent Fody: 190 GSM HDPE/LDPE Laminated Woven PE Fabric Waterproof, fire retardant (+/-10%)
Ground Sheet	190 GSM HDPE/LDPE Laminated Woven PE Fabric Waterproof, fire retardant (+/-10%)
Mosquito Netting	Polyester Mesh
Frame	6 Fiber Glass Poles For Roof 13mm Dia, 4 Steel Standing Poles 19mm Dia
Accessories	4 Ground Pins, Small Pins



Explorer Tent



Specifications

Colour	White
Windows	4 Windows
Doors	2 Doors
Shelf Life	Min. 5 Years
Logo	Customizable
Packing Unit	110 x 30 x 30 cm, 30 KG (+/-3%)
Content	Tent Body, Outer Fly, Frame Poles, Pegs, Instruction Manual and Hammer
20' Container	240 Units
40' Container	528 Units



Family Tent





Specifications



Length x Width	4 x 4 Meter
Center Height	2.80 Meter
Wall Height	1.80 Meter
Material	Outer Fold: 580 GSM Cotton Canvas, Waterproof & Rot Proof Middle Fold: Woven Fabric 120 GSM Black Sheeting Inner Fold: 140 GSM Breathable Dyed Printed Cotton Sheeting
Mud Flap	Made Of White HDPE Fabric 20cm on Wall & 20cm as Mud Flap
Mosquito Netting	Polyester Mesh
Frame	58mm Steel Ridge Pole (Center), 25mm Steel Wall Sticks (12 Sticks)



Family Tent



Specifications

Windows	4 Windows
Doors	4 Doors
Color	Natural White
Self Life	Mini. 3 Years
Life Span	Mini. 1 Year Easily
Packing Unit	210 x 45 x 45 cm, 85 KG
Content	Tent Body and Frame Poles
20' Container	90 Units
40' Container	210 Units



Double Fly Ridge Tent



Specifications



Length x Width	4 x 4 Meter
Center Height	2.1 Meter
Wall Height	0.9 Meter
Material	Outer Fly: 280 GSM PolyCooton Canvas/Cotton Canvas, Waterproof & Rot Proof Inner Tent: 280 GSM PollyCooton Canvas/Cotton Canvas, Waterproof & Rot Proof
Ground Sheet	Made Of PE Fabric as per Tent Size
Mud Flap	Made Of PE Fabric 30cm as Mud Flap
Mosquito Netting	Polyester Mesh
Frame	46mm Steel Ridge Poles



Double Fly Ridge Tent



Specifications

Colour	Natural Canvas
Windows	2 Windows
Doors	2 Doors
Packing Unit	220 x 30 x 30 cm, 35 KG
Content	Tent Body and Frame Poles
20' Container	120 Units
40' Container	320 Units



Double Fly Ridge Tent (Winterized)



Specifications



Length x Width	4 x 4 Meter
Center Height	2.1 Meter
Wall Height	0.9 Meter
Material	Outer Fly: 280 GSM PolyCotton Canvas/Cotton Canvas, Waterproof & Rot Proof Inner Fly: Three Folds Outer Fold: 280 GSM PolyCotton Canvas/Cotton Canvas, Waterproof & Rot Proof Middle Fold: 100 GSM Polyester Wadding (Polyfill) Inner Fold: 100 GSM Breathable Natural Color Cotton Sheeting
Mud Flap	Made Of PE Fabric 30cm as Mud Flap
Mosquito Netting	Polyester Mesh
Frame	46mm Steel Ridge Poles



Double Fly Ridge Tent (Winterized)



Specifications

Colour	Natural Canvas
Windows	2 Windows
Doors	2 Doors
Chimney	1 Chimney (30 x 70 cm)
Packing Unit	235 x 45 x 45 cm, 65 KG
Content	Tent Body, Frame Poles, Pegs, Instruction Manual and Hammer
20' Container	100 Units
40' Container	210 Units



Family Frame Tent



Specifications



Length x Width	410 x 405 cm
Center Height	250 cm
Side Height	194 cm
Door Height	200 cm
Floor Surface Area	16.5 M2
Material	Side Wall and Doors: 530 GSM Waterproof, Rot Proof & Fire Retardant Inner Lining: 250 GSM Felt, Fire Retardant Ceiling, Floor and Skirt: 450 GSM PVC Tarp, Fire Retardant and Waterproof Frame: 42mm Aluminum Pipe, 2mm Thick



Family Frame Tent



Specifications

Mosquito Netting	PVC Mesh
Colour	Natural Canvas
Windows	2 Windows
Doors	2 Doors
Packing Unit	220 x 45 x 45 cm, 105 KG
Content	Tent Body, Frame Poles, Pegs, Instruction Manual and Hammer
20' Container	75 Units
40' Container	110 Units



Self-Standing Family Tent



Specifications



Length x Width	4.3 x 4.3 Meter
Center Height	2.4 Meter
Wall Height	1.7 Meter
Material	Outer Fly: 190 GSM Knitted HDPE Mesh (+/-10%) Outer Tent: 190 GSM HDPE/LDPE Laminated Woven PE Fabric Waterproof, fire retardant (+/-10%) Inner Tent: 150 GSM PolyCotton Fire retardant (+/-15%)
Mosquito Netting	Polyester Mesh
Ground Sheet	190 GSM HDPE/LDPE Laminated Woven PE Fabric Waterproof, fire retardant (+/-10%)
Frame	19mm Anodized Aluminum Poles, Color Coded



Self-Standing Family Tent




Specifications

Colour	White
Windows	2 Windows (70 x 75 cm)
Doors	2 Doors (170 x 100 cm)
Ventilation	4 Ventilations (120 x 35 cm)
Shelf Life	Min. 5 Years
Logo	Customizable
Packing Unit	110 x 40 x 45 cm, 52 KG (+/-3%)
Content	Tent Body, Outer Fly, Frame Poles, Pegs, Instruction Manual and Hammer
20' Container	112 Units
40' Container	240 Units



Geodesic Family Tent



Specifications



Length x Width	5.70 x 4.35 Meter
Center Height	2.4 Meter
Wall Height	1.7 Meter
Material	Outer Fly: 190 GSM HDPE/LDPE Laminated Woven PE Fabric Waterproof, fire retardant (+/-10%) Outer Tent: 190 GSM HDPE/LDPE Laminated Woven PE Fabric Waterproof, fire retardant (+/-10%)
Mosquito Netting	Polyester Mesh
Ground Sheet	190 GSM HDPE/LDPE Laminated Woven PE Fabric Waterproof, fire retardant (+/-10%)
Frame	19mm Anodized Aluminum Poles (5 Poles of Same Length)



Geodesic Family Tent




Specifications

Colour	Grey-White
Windows	6 Windows (50 x 50 cm)
Doors	2 Doors (170 x 90 cm)
Ventilation	2 Ventilations (85 x 55 cm)
Shelf Life	Min. 5 Years
Logo	Customizable
Packing Unit	110 x 35 x 45 cm, 45 KG (+/-3%)
Content	Tent Body, Outer Fly, Frame Poles, Pegs, Instruction Manual and Hammer
20' Container	120 Units
40' Container	240 Units



UNHCR FAMILY TENT (23M2)



Specifications



Make	Double Tent Single Fold
Material	Outer Tent: 350 GSM PolyCotton Canvas, Water Repellant, Fire Retardant and Rot Proof Outer Tent Wall: 200 GSM PolyCotton Canvas, Water Repellant, Fire Retardant and Rot Proof Inner Tent: 130 GSM PolyCotton Canvas Fabric, Fire Retardant.
Inner Partition	130 GSM PolyCotton Fabric, Fire Retardant (Optional)
Frame	Painted Steel Poles 2 Standing of 25 mm dia, 1 Standing + 1 Ridge Poles of 31 mm dia, 6 Wall & 4 Canopy Poles of 19 mm dia.
Ground Sheet	180 GSM HDPE Fabric Sewed in Bathtub as Ground Sheet

Length x Width Outer Tent	6.50 x 4.00 M	Length x Width Inner Tent	3.95 x 3.80 M
Center Height Outer Tent	2.20 M	Center Height Inner Tent	2.10 M
Wall Height Outer Tent	1.25 M	Wall Height Inner Tent	1.15 M
Length x Width of Door Outer Tent	1.3 x 1.4 M	Length x Width of Door Inner Tent	1.0 x 1.55 M



UNHCR FAMILY TENT (23M2)



Specifications

Chimney	One Chimney Opening, Size 25 cm x 80 cm, On the Vestibule
MudFlap	Made of HDPE Fabric, 180 GSM-50 cm as Wall & 20 cm as Mud Flap
Colour	Natural Canvas
Windows	2 Full Length Windows
Doors	2 Doors
Ventilation	2, One on Each Vestibule
Self Life	Min. 3 Years
Life Span	Min. 1 Year Easily
Packing Unit	235 x 30 x 30 cm, 55 KG
Content	Tent Body, Frame Poles, Pegs, Instruction Manual and Hammer
20' Container	140 Units
40' Container	360 Units Unpalletized, 300 Units Palletized



All- Weather Family Frame Tent



Specifications



Make	Double Tent Single Fold
Material	Outer Tent: 350 GSM PolyCotton Canvas Waterproof & Fire Retardant (+/-15%) Inner Tent: 130 GSM PolyCotton Canvas Fire Retardant (+/- 10%)
Ground Sheet	Sewed in Bathtub Ground Sheet Of (PE) Woven Fabric, 180 GSM (+/-10%)
MudFlap	Made of White HDPE Fabric 130 GSM (+/-10%),70 cm as Wall & 20cm as Mud Flap
Mosquito Netting	Polester Mesh
Frame	Complete Frame Made of painted steel Poles of 25mm dia and 1.2mm Thick

Length x Width Outer Tent	5.2 x 4.15 Meter
Center Height Outer Tent	2.40 Meter
Wall Height Outer Tent	1.5 Meter
Length x Width of Door Outer Tent	(1.5 x 1.5 M) Front (2.1 x 1 M) Back

Length x Width Inner Tent	4 x 4 Meter
Center Height Inner Tent	2.30 Meter
Wall Height Inner Tent	1.4 Meter
Length x Width of Door Inner Tent	1.0 x 155 Meter



All- Weather Family Frame Tent




Specifications

Chimney	One Chimney Opening, Size 25 cm x 65 cm, On The Vestibule
Windows	6 Windows (5 With Mosquito Netting with Rain Flap on Both Sides and 1 with Transparent PE), (80 x 45 cm)
Doors	2 Doors, (1.5 x 1.5 M), (2.1 x 1 M)
Ventilation	2 Ventilation, one on each vestibule
Colour	Natural Canvas
Shelf Life	Min. 3 Years
Life Span	Min. 1 Year Easily
Packing Unit	220 x 40 x 40 cm, 90 KG (+/-3%)
Content	Outer Tent, Inner Tent, Frame poles, Connectors, Pegs, Instruction Manual and Hammer
20' Container	120 Units Unpalletized, 96 Units Palletized
40' Container	240 Units Unpalletized, 192 Units Palletized



UNICEF School Tent




Specifications



Length x Width	5 x 8 Meter
Center Height	3.0 Meter
Wall Height	2.0 Meter
Material	Upper Fly: 250 GSM HDPE Fabric. Size of The Fly Sheet to be Over Sized by 50cm Outer Fly: 454 GSM Waterproof & Rot Proof Canvas, Uv Treated Inner Tent: Double Fold, Inner Fold Made of Dyed Cotton Lining of 120 GSM
Winter Liner	Three Fold (300 GSM); Cotton Sheeting, Polyester Wadding, Cotton Sheeting
Mud Flap	Made Of White HDPE Fabric 30cm on Wall & 30cm as Mud Flap
Mosquito Netting	Polyester Mesh
Ground Sheet	200 GSM HDPE, Ground Sheet as per Tent Size



UNICEF School Tent



Specifications

Frame	Complete Frame of 48mm Painted Iron Poles
Accessories	All Accessories and Tools For Ready Use
Windows	12 Windows
Doors	2 Doors
Color	Natural White
Self Life	Mini. 3 Years
Life Span	Mini. 1 Year Easily
Packing Unit	200 x 120 x 80 cm, 400 KG
Content	Tent Body, Frame Poles, Repairing Kit and Instruction Manual
20' Container	15 Units
40' Container	36 Units



Multipurpose Tent



Specifications



Length x Width	7.5 x 6 Meter
Center Height	3 Meter
Wall Height	2.1 Meter
Material	Outer Tent Roof: 440 GSM PolyCotton Canvas, Waterproof & Rot Proof Outer Tent Wall: 320 GSM PolyCotton Canvas, Waterproof, Rot Proof Inner Tent: 120 GSM PolyCotton Sheeting Outer Fly: Shade Net
Ground Sheet	500 GSM PVC Coated Fabric
Mosquito Netting	Polyester Mesh
Frame	40mm Aluminum Pole (Main Tent), 22mm Aluminum Pole (Shade Net Frame), Steel Connectors



Multipurpose Tent




Specifications

Accessories	One Tent With All Accessories Packed in Bale. Other Required Accessories Including Assembly Instruction, Content List and Repair Kit Include.
Windows	6 Windows
Doors	4 Doors
Color	Natural White
Self Life	Min. 3 Years
Life Span	Min. 1 Year Easily
Packing Unit	210 x 100 x 90 cm, 205 KG
Content	Tent Body, Inner Liner, Shade Net, Ground Sheet, Partitions, Frame Poles, Pegs, Instruction Manual and Hammer
20' Container	24 Units
40' Container	48 Units

Size	Weight	Loading Capacity (40 Feet HC)
6 x 4 Meter (24M ²)	160 KG	48 Units
6 x 7.5 Meter (48M ²)	290 KG	34 Units
6 x 12 Meter (72M ²)	470 KG	28 Units



High Performance Tent



Specifications



Length x Width	6 x 8 Meter
Center Height	3.0 Meter
Wall Height	2.0 Meter
Material	Outer Tent (Roof & Wall): 250 GSM ($\pm 10\%$) HDPE/LDPE laminated woven fabric, waterproof, UV resistant, fire retardant, rot-proof and durable. Outer Fly: 190 GSM ($\pm 10\%$) HDPE knitted mesh, UV-resistant, rot-proof.
Mosquito Netting	Polyester Mesh
Ground Sheet	190 GSM ($\pm 10\%$) HDPE/LDPE laminated woven fabric, waterproof, fire retardant,
Frame	40mm Aluminum pole (Main Tent), 40mm Aluminum pole (Shade Net Frame), Steel Connectors.
Pegs	10x T-stakes 40 cm, 10x Spikes (60cm), 2x Candy Cane Pegs 30cm.



High Performance Tent



Specifications

Accessories	One Tent With All Accessories Packed in a Pallet. Other Required Accessories Including Assembling Instruction, Content List and Repair Kit Included.
Colour	White
Windows	8 Windows (135 x 135 cm)
Doors	2 Doors (190 x 200 cm)
Ventilation	2 Vents (one per glabe)
Shelf Life	Min. 5 Years
Logo	Customizable
Packing Unit	225 x 110 x 70 cm, 360 KG (+/-3%)
Content	Tent body (Outer+Shade Net), Ground Sheet, Frame poles, Connectors, Instruction Manual, Pegs and Hammer.
20' Container	16 Units
40' Container	34 Units

Size	Weight	Loading Capacity (40 Feet HC)
6 x 4 Meter (24M ²)	240 KG	48 Units
6 x 8 Meter (48M ²)	360 KG	34 Units
6 x 12 Meter (72M ²)	470 KG	28 Units



IOM Storage Tent



Specifications



Length x Width	5 x 10 Meter
Center Height	3.2 Meter
Wall Height	1.80 Meter
Material	Outer Fold: Single Fold of 450 GSM Waterproof, Rot Proof and UV Treated PVC Fabric Inner Fold: Single Fold of 225 GSM PolyCotton Canvas
Mud Flap	Made Of PVC Fabric 30cm as Mud Flap
Mosquito Netting	Polyester Mesh
Frame	Anti Rust Painted Iron Poles



IOM Storage Tent



Specifications

Colour	Natural Canvas
Windows	4 Windows
Doors	2 Doors
Self Life	Min. 3 Years
Life Span	Min. 1 Year Easily
Packing Unit	210 x 80 x 80 cm, 210 x 70 x 70 cm, 200 x 60 x 60 cm (3 Bundles)
Content	Tent Body, Frame Poles, Pegs, Instruction Manual and Hammer
20' Container	8 Units
40' Container	18 Units



Refugee Items

We have developed a wide range of Refugee Items and Shelter kits to provide assistance in an emergency situation, all the kits are developed according to international standards and criteria.



Canvas and Fabric



Specifications

We Have Complete Facility to Twist our own Yarn and Weave our own Fabric Necessary to Ensure Quality. We Manufacture Cotton Fabrics in Various Weights and Widths. We Manufacture Cotton Drill, Cotton Twill, Duck and Canvas. Our Fabrics Are Available in Loom State

1. Dyed
2. Water, Mildew, UV Proof
3. Fire Retardant, Fire Proof, Rot proof
4. Printed

Quality	Yarn Count	Weight	Width
Canvas # 12	10/2 x 10/2	340 GSM	36 to 80 Inch
Canvas # 14	10/2 x 10/2	400 GSM	36 to 80 Inch
Canvas # 18	10/2 x 10/3	500 GSM	36 to 80 Inch
Canvas # 21	10/3 x 10/3	600 GSM	36 to 80 Inch
Canvas # 24	10/4 x 10/4	670 GSM	36 to 80 Inch
Canvas # 30	10/5 x 10/5	850 GSM	36 to 80 Inch
Sheeting # 5	10/1 x 10/1	160 GSM	36 to 80 Inch
Sheeting # 8	10/1 x 10/2	250 GSM	36 to 80 Inch
Sheeting # 7	20/1 x 20/1	200 GSM	36 to 80 Inch
Sheeting # 10	20/2 x 20/2	250 GSM	36 to 80 Inch



Mosquito Nets (Polyester)



Specifications

Size	180 x 160 x 150 cm
Thickness	3.5 mm (Minimum)
Material	(ISO 3801) 30 or 40 gr/m ² Depending of Denier
Fabrication	Warp Knitted (Construction ISO 8388)
Denier	(ISO 2026, DUPRO) 75-100
Filament	Multi-Filament 36 or Higher
Netting Mesh	25 Holes/cm ² (156 Holes/inch ²)
Shrinkage	(ISO 5077/ ISO 6330- 8A at 30 C, Flat Dry
Bursting	(ISO 13938) 250 Kpa Minimum Strength
Fire Safety	(16 CFR part 1610): Class 1
Color	White, Blue or Green
Treatment	Long Lasting Insecticide (3 to 5 Year)
Insecticide	WHO PES Recommended

Container Loadability

Containers	Without Pallet
20' DC	195 Bales, 19,500 pcs
40' DC	400 Bales, 40,000 pcs
40' HC	440 Bales, 44,000 pcs



Blankets



Specifications

Make	Fleece on Both Sides
Material	100% Polyester
Size	150 x 200 cm
Colour	Dark Blue/ Grey
Bursting	25 kgs or 30 KPa Both Ways (Min) Strength
Finish	Folded and Stitched on 4 Sides
Fabric	250 Grams Per Meter Square Weight
Logo	Logo Will Be Printed in the Center of Blanket
Organoleptic	No Bad Smell, No Irritating to the Skin, No dust, Test Fit For Human Use
Fire	No Ignition to Cigarette, No Ignition To Flame Resistance
Quality	No Soaked in Salt By the Manufacturer
Packing	Packing: 20pcs per Bale, 80 x 60 x 60 cm

Standard	GSM	20° DC Without Pallets	40° DC Without Pallets	40° HC Without Pallets
Low Thermal (20 pcs)	200-400 GSM	161 Bales, 3,220 pcs	340 Bales, 6,800 pcs	375 Bales, 7,500 pcs
Medium Thermal (20 pcs)	400-600 GSM	150 Bales, 3,000 pcs	300 Bales, 6,000 pcs	350 Bales, 7,000 pcs
High Thermal (15 pcs)	600-800 GSM	150 Bales, 2,250 pcs	300 Bales, 4,500 pcs	350 Bales, 5,250 Pcs



Sleeping Mat



Specifications


Size	1.80 x 0.90 M
Weight	800 grams/pc
Make	Made up of 100% Synthetic Yarns in a Tightly Woven 2/2 Twill Structure Using a no Filament Warp and Flat Tape Weft
Colour	Assorted Colour
Logo	Logo Will be Printed on Cotton Cloth and Stitched on one Corner
Finish	All The Edges are Secured With a Woven, Bias-Binding Tape With Stitches, Zig Zag Type Through The Fabric of The Mat.
Packing	Sleeping Mats are Packed in Bales of 25 Pieces. Bales First Wrapped in Polythene and Then Covered With Polypropylene
Dimensions	92 x 40 x 34 cm +/-20%, 20 KG +/-20%
Volume	0.125 cbm +/-20%

Container Loadability:

Containers	Without Pallets
20' GP	216 Bales, 5,400 pcs
40' DC	468 Bales, 11,700 pcs
40' HC	546 Bales, 13,650 pcs



Winter Liner



Specifications

FLOOR PROTECTION

Material: The material is 100% fire-proof and rigid

Size/ Dimensions: Total Surface 0.5 x 1 Meter, 4mm Thickness

WINTERIZATION LINER

Material: Material weight: $130 \text{ g/m}^2 \pm 10\%$ in finished state , Fire Retardant

Size/ Dimensions: Centre height: 2.5 m, width: 3.8 m, wall height: 1.65 m, base length: 3.8 m

SLEEVE, HEAT RESISTANT

Material: 100% Fire Proof.

Size/ Dimensions: It has a pyramid shape, with a base of 350 x 700 mm, that fits on the Velcro system of the chimney flap of the Family Tent. The height of the pyramid part is 400 mm, with a hole of 150 mm diameter at the top. The top of the pyramid has a tubular extension of 150 mm length .

INSULATING FLOOR MAT

Material: The insulating mat is an assembling of two layers:First layer, on the ground-side,a plastic mat, double weave. Second layer, an aluminised canvas, aluminium face upward.

Size/ Dimensions: 1.8 x 0.9 m



UNHCR Kitchen Sets (Type A)



Specifications

Make	UNHCR Type Kitchen Sets For a Family of 5 Persons. 1 x 7 Liters Aluminum Cooking Pot With Lid and 2 Cast Aluminum Handle 1 x 5 Liters Aluminum Cooking Pot With Lid and 2 Cast Aluminum Handle 5 x Deep Stainless or Aluminum Plates. 5 x Stainless Steel or Aluminum Cups 5 x stainless Steel Table Spoons. 1 x Kitchen Knife With Stainless Steel Blade 1 x Stainless Steel Serving Spoon With Wooden Handle
Packing	1 Carton Box, Outer Dimensions 0.3 x 0.3 x 0.25 M Container Loadability:

Containers	With Pallet	Without Pallet
20' GP	1,144 Cartons	1,638 Cartons
40' DC	2,496 Cartons	3,400 Cartons
40' HC	2,496 Cartons	3,696 Cartons



UNHCR Kitchen Sets (Type B)



Specifications

Make UNHCR Type Kitchen Sets For a Family of 5 Persons

1 x 2.5 litres, stainless steel frying pan (used as lid for 7L cooking pot)

1 x 5 litres, stainless steel cooking pot with lid

5 x 1 litre, stainless steel bowl

5 x stainless steel plates

5 x stainless steel cups

5 x stainless steel table-spoons

5 x stainless steel table-forks

5 x stainless steel table-knives

1 x kitchen knife with stainless steel blade

1 x wooden serving spoon

2 x stainless steel serving spoon

1 x stainless steel scouring pad

Container Loadability:

Containers	With Pallet	Without Pallet
20' GP	660 Cartons	770 Cartons
40' DC	1,440 Cartons	1,595 Cartons
40' HC	1,440 Cartons	1,910 Cartons



PE Tarps



Specifications

Our Tarpaulins are Exported all over the World For Various Purposes in Various Sizes. All Tarpaulins Can be Made in a Fabric of Your Choice and Specification.

Double Stitched Hems & Seams. Solid Brass. Eyelets Approx. Every 3 Ft. Four ply Fabric Reinforced Corners are our Standard Features in Traps.

The Tarpaulins can be Waterproof, Rot Proof, Uv Treated and Fire Proof More over all of the Proofing can be Done at once.

Container Loadability:

Containers	With Pallet	Without Pallet
20' GP	28 Pallets, 2,800 pcs	3,300 pcs
40' GP	60 Pallets, 6,000 pcs	6,500 pcs
40' HC	60 Pallets, 6,000 pcs	6,500 pcs



Cotton Canvas Tarps



Specifications


Our Tarpaulins are Exported all over the World For Various Purposes in Various Sizes. All Tarpaulins Can be Made in a Fabric of Your Choice and Specification.

Double Stitched Hems & Seams. Solid Brass. Eyelets Approx. Every 3 Ft. Four ply Fabric Reinforced Corners are our Standard Features in Tarps.

The Tarpaulins can be Waterproof, Rot Proof, Uv Treated and Fire Proof More over all of the Proofing can be Done at once.



UN-Habitat Hygiene Kits, RSPN Hygiene Kits



Specifications

UN Habitat Hygiene Kits

Sufi Washing Soap (3 Kgs), Life Buoy (12 Pcs), Bucket (1Pcs), Canvas Bag (1 Pcs), Comb (2 Pcs), Lice Comb (1 Pcs)
Jerry Can 10 Litter Food Grade (1 Pcs), Lota Fresh Plastic (1 Pcs), Maswak (2 Pcs), Towel Bath (2 Pcs)
Mug With Handle Fresh Plastic (1 Pcs), Nail Cutter Medium (1 Pcs), Soap Dish (1 Pcs), Pral Rehydration Salt (6 Pcs)
Panties Ladies (3 Pcs), Pure Sachet For Water (30 Pcs), Soft Cotton (3 Pcs) Tooth Brush (3+3 Pcs) Tooth Paste (3 Pcs)
Washing Detergent (1 Pcs).

RSPN Hygiene Kits

Safe Guard (2Pcs), Dentonic Tooth Powder (2 Pcs), Sufi Soap (4 Pcs), Towels (1 Pcs), Lemon Max (2 Pcs)
Comb (2 Pcs), Dettol (2 Pcs), Always Ultra (1 Packet), Hygiene Kit Bag (1 Pcs).



Jerry Cans



Specifications

UNHCR Jerry Cans

Material	Plastic, New Food Grade, Non Collapsible
Capacity	10 Liters
Weight	230 G
Top Handle	Fixed
Opening Position	Upward
Colour	White
Type	Jerry Can With Screw Cap & Moulded Carry Handle, UV- Stablized, WithStand Drop Test of 2.5m Height When Full to Capacity
Logo	Orgnizations Will be Printed Which Will last For Many Year

UNHCR Jerry Cans

Material	Plastic, New Food Grade, Non Collapsible
Capacity	20 Liters
Weight	500 G
Top Handle	Fixed
Opening Position	Upward
Colour	White
Type	Jerry Can With Screw Cap & Moulded Carry Handle, UV- Stablized, WithStand Drop Test of 2.5m Height When Full to Capacity
Logo	Orgnizations Will be Printed Which Will last For Many Year



IOM Jerry Cans



Specifications

Material	LDPE, New Food Grade
Capacity	20 Liters
Weight	280 G
Top Handle	13 cm Long & 4 cm Height With no Sharp Edges
Colour	Transparent
Operation	Withstand Temperature of -20c to +80c Temperature
Type	Withstand Drop Test of 2.5m Height When Full to Capacity



Contact Us



Mr. Ejaz Ahmad Malik
Chief Executive



Mr. Fayyaz Malik
Production Director
0092-321-4449443
zahratents@hotmail.com




Mr. Akbar Malik
Managing Director
0092-321-4455730
akbar.malik@zahratents.com



Mr. Shahbaz Malik
Finance Director
0092-321-4599761
info@zahratents.com



Mr. Mateen Malik
Marketing Executive
0092-300-5559870
muhammad@zahratents.com



Mr. Azhar Malik
Sale & Marketing Director
0092-321-9434564
azhar.malik@zahratents.com

UNIT -1

21 Km Main Rerozpur Road, Fayyazi Street, Lahore-Pakistan.

Phone no: +92-42-35274151, 35274974, 35274975

Fax no: +92-42-35274152

UNIT -2

40 Km Main Ferozpur Road, Mustafabad, Kasur- Pakistan.

Phone no: +92-42-35274151, 35274974, 35274975

Fax no: +92-42-35274152

Email: zahratents@hotmail.com, info@zahratents.com

Web: www.zahratents.com

Tents & Shelters



Tarpaulins



Blankets



Mosquito Net



Fabrics



Hygiene Kits



Kitchen Sets



Sleeping Mats



Jerry Cans



ZAHRA TENTS INDUSTRIES (PVT) LTD

“Quality with an Economy is Our Priority”

Registered Offices:

Unit 1: 21- KM Main Feroz Pur Road, Fayyazi Street ,Lahore, Pakistan

Unit 2: 40 - KM, Main Ferozpur Road, Mustafabad, Kasur - Pakistan

Phone no: +92-42-35274151, 35274974, 35274975 Fox no :+92-42-35274152

Email: zahratents@hotmail.com, info@zahrtents.com

Web: www.zahrtents.com

Follow Us:

